Assignment 10

1. Let A be a 3×3 matrix whose eigenvalues are 3, $\frac{4}{5}$, and $\frac{3}{5}$ with corresponding eigenvectors

$$\begin{bmatrix} 1 \\ 0 \\ -3 \end{bmatrix}, \begin{bmatrix} 2 \\ 1 \\ -5 \end{bmatrix}, \text{ and } \begin{bmatrix} -3 \\ -3 \\ 7 \end{bmatrix}. \text{ Let } \vec{x}_0 = \begin{bmatrix} -2 \\ -5 \\ 3 \end{bmatrix}. \text{ If } \vec{x}_{k+1} = A\vec{x}_k, \text{ find an expression for } \vec{x}_k$$

starting with the \vec{x}_0 above and describe \vec{x}_k as $k \to \infty$.

2. Let F_k be the number of foxes in a particular forest at month k and R_k be the number of rabbits at month k. Suppose

$$F_{k+1} = .5F_k + .4R_k$$
$$R_{k+1} = -pF_k + 1.1R_k$$

The constant p measures the deaths of rabbits due to predation from foxes.

- (a) If p = .325 how does the total population of rabbits and foxes change over time? (Is it increasing, constant, or decreasing?) What is the long term ratio of rabbits to foxes?
- (b) If p = .5 how does the total population of rabbits and foxes change over time? (Is it increasing, constant, or decreasing?) What is the long term ratio of rabbits to foxes?
- (c) Find a value for p so that the total number of rabbits and foxes does not change over time. What is the ratio of rabbits to foxes in this constant population?
- 3. Show that $||\vec{v} + \vec{u}||^2 + ||\vec{v} \vec{u}||^2 = 2||\vec{v}||^2 + 2||\vec{u}||^2$.
- 4. Let W be a subspace of \mathbb{R}^n . Show that if \vec{u} is in W and in W^{\perp} , then $\vec{u} = 0$.
- 5. Let U be an $m \times n$ matrix where the columns of U form an orthonormal set.
 - (a) If \vec{x} and \vec{y} are in \mathbb{R}^n , show that $(U\vec{x}) \cdot (U\vec{y}) = \vec{x} \cdot \vec{y}$.
 - (b) Show that $||U(\vec{x})|| = ||\vec{x}||$.