

MA162: Finite mathematics

Jack Schmidt

University of Kentucky

November 16, 2011

SCHEDULE:

- HW 0.0 through 7A is due Sunday, Nov 27th, 2011.
- HW 7B is due Friday, Dec 2, 2011.
- HW 7C is due Friday, Dec 9, 2011.
- Final Exam is Wednesday, Dec 14th, 8:30pm-10:30pm.

Today we will cover 7.1: Sample spaces

Final Exam

- Chapter 7: Probability
 - Counting based probability
 - Counting based probability
 - Empirical probability
 - Conditional probability
- Cumulative
 - Ch 2: Setting up and reading the answer from a linear system
 - Ch 3: Graphically solving a 2 variable LPP
 - Ch 4: Setting up a multi-var LPP
 - Ch 4: Reading and interpreting answer form a multi-var LPP

Probability

- Our last chapter is on probability.

Probability

- Our last chapter is on probability.
- Life is uncertain, every snowflake is different

Probability

- Our last chapter is on probability.
- Life is uncertain, every snowflake is different
- In the aggregate, life is more certain

Probability

- Our last chapter is on probability.
- Life is uncertain, every snowflake is different
- In the aggregate, life is more certain
- If you flip a coin once, it will be heads or tails, but who knows which?

Probability

- Our last chapter is on probability.
- Life is uncertain, every snowflake is different
- In the aggregate, life is more certain
- If you flip a coin once, it will be heads or tails, but who knows which?
- If you flip a coin 1000 times, it will be heads between 450 and 550 times (with a 99.9% probability).

Experiments

- Reality is mysterious and wonderful
It is worth observing.

Experiments

- Reality is mysterious and wonderful
It is worth observing.
- Some things you observe are unique: a sunset, a cloud

Experiments

- Reality is mysterious and wonderful
It is worth observing.
- Some things you observe are unique: a sunset, a cloud
- Some things you observe are quite reproducible: when you flip a coin it lands on heads or tails, and each happens about 50% of the time

Experiments

- Reality is mysterious and wonderful
It is worth observing.
- Some things you observe are unique: a sunset, a cloud
- Some things you observe are quite reproducible: when you flip a coin it lands on heads or tails, and each happens about 50% of the time
- An **experiment** is a planned observation of life whose goal is (usually) to confirm a reproducible result

Experiments

- Reality is mysterious and wonderful
It is worth observing.
- Some things you observe are unique: a sunset, a cloud
- Some things you observe are quite reproducible: when you flip a coin it lands on heads or tails, and each happens about 50% of the time
- An **experiment** is a planned observation of life whose goal is (usually) to confirm a reproducible result
- For example, we might plan an experiment where we flip 10 coins and count how many heads show up.

Sample spaces

- Our understanding of life is shaped by the constructs we place upon it

Sample spaces

- Our understanding of life is shaped by the constructs we place upon it
- Our understanding of coin flipping uses the construct of “heads” and “tails” to divide all of life’s mysteries into two possible outcomes

Sample spaces

- Our understanding of life is shaped by the constructs we place upon it
- Our understanding of coin flipping uses the construct of “heads” and “tails” to divide all of life’s mysteries into two possible outcomes
- A **sample space** is a list of all the possible outcomes of an experiment

Sample spaces

- Our understanding of life is shaped by the constructs we place upon it
- Our understanding of coin flipping uses the construct of “heads” and “tails” to divide all of life’s mysteries into two possible outcomes
- A **sample space** is a list of all the possible outcomes of an experiment
- If we pull one card from the deck, then our sample space can be the set of all 52 (or 54) cards in the deck.

Sample spaces

- Our understanding of life is shaped by the constructs we place upon it
- Our understanding of coin flipping uses the construct of “heads” and “tails” to divide all of life’s mysteries into two possible outcomes
- A **sample space** is a list of all the possible outcomes of an experiment
- If we pull one card from the deck, then our sample space can be the set of all 52 (or 54) cards in the deck.
- If we draw five cards from the deck and don’t care about order, then there are $\frac{52}{5} \frac{51}{4} \frac{50}{3} \frac{49}{2} \frac{48}{1} = 2,598,960$ possible outcomes

Events

- Many people rush through life and miss the details

Events

- Many people rush through life and miss the details
- Suppose the experiment was flipping a single coin three times

Events

- Many people rush through life and miss the details
- Suppose the experiment was flipping a single coin three times
- A reasonable sample space is
 $\{HHH, HHT, HTH, HTT, THH, THT, TTH, TTT\}$

Events

- Many people rush through life and miss the details
- Suppose the experiment was flipping a single coin three times
- A reasonable sample space is
 $\{HHH, HHT, HTH, HTT, THH, THT, TTH, TTT\}$
- However some people might divide this up into “more heads than tails” and “more tails than heads”

Events

- Many people rush through life and miss the details
- Suppose the experiment was flipping a single coin three times
- A reasonable sample space is
 $\{HHH, HHT, HTH, HTT, THH, THT, TTH, TTT\}$
- However some people might divide this up into “more heads than tails” and “more tails than heads”
- Each of these is an **event**, a subset of the sample space

Events

- Many people rush through life and miss the details
- Suppose the experiment was flipping a single coin three times
- A reasonable sample space is
 $\{HHH, HHT, HTH, HTT, THH, THT, TTH, TTT\}$
- However some people might divide this up into “more heads than tails” and “more tails than heads”
- Each of these is an **event**, a subset of the sample space
- $M_{\text{htt}} = \{HHH, HHT, HTH, THH\}$ has four sample points in it

Mutually exclusive

- You cannot both have more heads than tails and more tails than heads. If you had a tie, then neither was true!

Mutually exclusive

- You cannot both have more heads than tails and more tails than heads. If you had a tie, then neither was true!
- Two events are **mutually exclusive** if their intersection is empty; that is, it is not possible for both to happen at the same time.

Mutually exclusive

- You cannot both have more heads than tails and more tails than heads. If you had a tie, then neither was true!
- Two events are **mutually exclusive** if their intersection is empty; that is, it is not possible for both to happen at the same time.
- Not all events are mutually exclusive.

Mutually exclusive

- You cannot both have more heads than tails and more tails than heads. If you had a tie, then neither was true!
- Two events are **mutually exclusive** if their intersection is empty; that is, it is not possible for both to happen at the same time.
- Not all events are mutually exclusive.
- For instance the event “get a head on the very first try!” is $\{HHH, HHT, HTH, HTT\}$ and so the intersection with “more heads than tails” is $\{HHH, HHT, HTH\}$

Experiment overview

1. Informally describe the **experiment**

Experiment overview

1. Informally describe the **experiment**
2. Setup the sample space; decide the possible **outcomes**

Experiment overview

1. Informally describe the **experiment**
2. Setup the sample space; decide the possible **outcomes**
3. Gather possible outcomes into interesting **events**

Experiment overview

1. Informally describe the **experiment**
2. Setup the sample space; decide the possible **outcomes**
3. Gather possible outcomes into interesting **events**
4. (Next section) describe how often an event is likely to occur if the experiment is repeated many times. This is the **probability**.

Experiment overview

1. Informally describe the **experiment**
2. Setup the sample space; decide the possible **outcomes**
3. Gather possible outcomes into interesting **events**
4. (Next section) describe how often an event is likely to occur if the experiment is repeated many times. This is the **probability**.
5. (STA291) After actually running the experiment, decide whether your probability calculation reflects reality

Experiment overview

1. Informally describe the **experiment**
2. Setup the sample space; decide the possible **outcomes**
3. Gather possible outcomes into interesting **events**
4. (Next section) describe how often an event is likely to occur if the experiment is repeated many times. This is the **probability**.
5. (STA291) After actually running the experiment, decide whether your probability calculation reflects reality
6. (STAxxx) Decide how many times to run the experiment before you can decide whether your probability calculation reflected reality

Summary

- We learned the words **experiment**, **sample space**, **event**, and **mutually exclusive**
- HW 7A is two questions. Easy questions. DO IT NOW.
- HW 7B and 7C are pretty similar to HW 6ABC
You have better stuff to do during dead week than say
“Gee I could have done this last week, you know,
before my brain MELTED!”
- Monday we will cover 7.2: Probability