Exam 2

| Name: | G .: |
|---------|----------|
| Name: | Section: |
| 1101110 | |

Do not remove this answer page — you will return the whole exam. You will be allowed two hours to complete this test. You are allowed to use notes on a single piece of 8.5" x 11" paper, front and back, including formulas and theorems. You are required to turn this page in with your exam. You may use a graphing calculator during the exam, but NO calculator with a Computer Algebra System (CAS). Absolutely no communication device use during the exam is allowed.

The exam consists of 10 multiple choice questions and 5 free response questions. Record your answers to the multiple choice questions on this page by filling in the circle corresponding to the correct answer.

Show <u>all work</u> to receive full credit on the free response problems. It will also help you check your answers to show work on multiple choice problems.

Multiple Choice Questions

| 1 | (A) | (B) | $\overline{\mathbf{C}}$ | $\overline{\mathbf{D}}$ | $\overline{\mathbf{E}}$ | |
|---|-----|-----|-------------------------|-------------------------|-------------------------|--|
| | | | | | | |

6 (A) (B) (C) (D) (E)

- **2** (A) (B) (C) (D) (E)
- **7** (A) (B) (C) (D) (E)

3 (A) (B) (C) (D) (E)

8 (A) (B) (C) (D) (E)

4 (A) (B) (C) (D) (E)

 $\mathbf{9} \quad \widehat{\mathbf{A}} \quad \widehat{\mathbf{B}} \quad \widehat{\mathbf{C}} \quad \widehat{\mathbf{D}} \quad \widehat{\mathbf{E}}$

- **5** A B C D E
- **10** (A) (B) (C) (D) (E)

| Multiple | | | | | | Total |
|----------|----|----|----|----|----|-------|
| Choice | 11 | 12 | 13 | 14 | 15 | Score |
| 50 | 10 | 10 | 10 | 10 | 10 | 100 |
| | | | | | | |
| | | | | | | |

Multiple Choice Questions

1. (5 points) Give the first three **nonzero** terms of the sequence $\{a_1, a_2, \ldots\}$ defined by

$$a_n = \frac{\sin\left(\frac{n\pi}{2}\right)}{n^3}.$$

- A. $\{\frac{1}{1}, \frac{-1}{4}, \frac{-1}{16}\}$
- B. $\left\{\frac{1}{1}, \frac{1}{9}, \frac{1}{25}\right\}$
- C. $\left\{ \frac{-1}{1}, \frac{-1}{9}, \frac{-1}{25} \right\}$
- D. $\left\{ \frac{-1}{1}, \frac{1}{2}, \frac{-1}{3} \right\}$
- E. $\left\{\frac{1}{1}, \frac{-1}{27}, \frac{1}{125}\right\}$

2. (5 points) Does the series $\sum_{n=1}^{\infty} \frac{2}{3^n + n}$ converge or diverge?

- A. Converges by the limit comparison test to $\sum_{n=1}^{\infty} \frac{1}{3^n}$.
- B. Converges because $\lim_{n\to\infty} \frac{1}{3^n + n} = 0$.
- C. Converges because it is a geometric series and |r| < 1.
- D. Diverges by a comparison test to $\sum_{n=1}^{\infty} \frac{1}{3^n}$.
- E. Diverges by a comparison test to $\sum_{n=1}^{\infty} \frac{1}{n}$.

- 3. (5 points) Which of the following series converge?
 - A. $\sum_{n=10}^{\infty} \frac{n}{\sqrt{n^2+1}}$
 - B. $\sum_{n=1}^{\infty} \frac{n+1}{(n+2)^{\frac{3}{2}}}$
 - C. $\sum_{n=1}^{\infty} \frac{1}{n^2 + 3n}$
 - D. $\sum_{n=1}^{\infty} \frac{(-1)^n}{2}$
 - E. None of the above series converge.

- 4. (5 points) Find the sum of the series $\sum_{n=1}^{\infty} \left(\frac{1}{2}\right)^n \left(\frac{1}{3}\right)^n$
 - A. $\frac{1}{3}$
 - B. $\frac{1}{2}$
 - C. 5
 - D. 2
 - E. This series is divergent.

- 5. (5 points) What would you compare $\sum_{n=2}^{\infty} \frac{\sqrt{n^3 + 2n + 1}}{n^3 1}$ to for a conclusive limit comparison test?
 - A. $\sum_{n=2}^{\infty} \frac{1}{n^2}$
 - $B. \sum_{n=2}^{\infty} \frac{1}{n}$
 - C. $\sum_{n=2}^{\infty} \frac{1}{n^{\frac{3}{2}}}$
 - $D. \sum_{n=2}^{\infty} \frac{1}{n^3}$
 - E. The limit comparison test can't be used to understand convergence for this series.

- 6. (5 points) Does the series $\sum_{n=1}^{\infty} \frac{n}{(2n+1)!}$ converge or diverge?
 - A. Diverges by the ratio test because $\lim_{n\to\infty} \frac{n+1}{n} = 1$
 - B. Converges by the ratio test because $\lim_{n\to\infty} \frac{n+1}{(2n+3)} = \frac{1}{2}$
 - C. Diverges by the ratio test because $\lim_{n\to\infty} \frac{(2n+3)(2n+2)}{n} = \infty$
 - D. Converges by the ratio test because $\lim_{n\to\infty} \frac{n+1}{n(2n+3)(2n+2)} = 0$
 - E. Diverges by the ratio test because $\lim_{n\to\infty} \frac{n(2n+3)}{n+1} = \infty$

- 7. (5 points) Find the smallest value of N so that S_N approximates $\sum_{n=1}^{\infty} \frac{(-1)^n}{n^3}$ to within an error of at most .01.
 - A. N = 2
 - B. N = 6
 - C. N = 10
 - D. N = 4
 - E. N = 3

- 8. (5 points) What is the interval of convergence of the power series $\sum_{n=1}^{\infty} \frac{n(x-5)^n}{7^n}$?
 - A. (-7,7)
 - B. (-2, 12)
 - C. (4,6)
 - D. (6,8)
 - E. $(-\infty, \infty)$

- 9. (5 points) Which power series represents the function $\sin(5x^2)$ on the interval $(-\infty, \infty)$?
 - A. $\sum_{n=0}^{\infty} \frac{(-1)^n}{5^{2n}(2n)!} x^{2n}$
 - B. $\sum_{n=0}^{\infty} \frac{(-1)^n 5^{2n+1}}{(2n+1)!} x^{4n+2}$
 - C. $\sum_{n=0}^{\infty} \frac{(-1)^n 5^{2n}}{(2n+1)} x^{4n+2}$
 - D. $\sum_{n=0}^{\infty} \frac{1}{5^{2n}} x^{4n}$
 - E. $\sum_{n=0}^{\infty} \frac{(-1)^n 5^{2n}}{(2n)!} x^{4n}$

- 10. (5 points) Find the first 3 **nonzero** terms of the Taylor series for $f(x) = xe^{-x}$ centered at 0.
 - A. $x x^2 + \frac{1}{2}x^3$
 - B. $1 x^2 + \frac{1}{2}x^4$
 - C. $1 + x + \frac{1}{2}x^2$
 - D. $x \frac{1}{2}x^2 + \frac{1}{6}x^3$
 - E. $1 + \frac{1}{2}x^2 + \frac{1}{24}x^4$

Free Response Questions

11. (a) (5 points) Decide if the series converges or diverges (Clearly state which test(s) are used):

Exam 2

$$\sum_{n=1}^{\infty} \frac{n}{2^n}.$$

(b) (5 points) Decide if the series converges or diverges (Clearly state which test(s) are used):

$$\sum_{n=1}^{\infty} \frac{(-2)^n}{n+3^n}$$

- 12. Are the series below **absolutely convergent**, **conditionally convergent**, or **divergent**? Justify your answer.
 - (a) (6 points)

$$\sum_{n=1}^{\infty} (-1)^n \frac{n+2}{n^2+3}$$

(b) (4 points)

$$\sum_{n=1}^{\infty} \frac{(-2)^n}{n!}$$

13. (a) (5 points) What is the **radius** of convergence of the power series $\sum_{n=1}^{\infty} \left(\frac{n^3}{9^n}\right) x^n$?

(b) (5 points) For which x does $\sum_{n=1}^{\infty} (5x)^n$ converge? (i.e. find the interval of convergence.)

14. (a) (4 points) Find the first six derivatives of $f(x) = \cos(x)$ and evaluate each at $a = \frac{\pi}{2}$.

(b) (6 points) Find the Taylor series expansion of $f(x) = \cos(x)$ about $a = \frac{\pi}{2}$. (Note: this is not centered at a = 0.)

15. (a) (5 points) Write a series expansion for the function $f(x) = \frac{1}{1-x^2}$ centered at x = 0.

(b) (5 points) Use your answer in part (a) to find a series expansion for the function $g(x) = \frac{2x}{(1-x^2)^2}$ centered at 0. (**Hint:** It will help to find the derivative of f(x) in part (a).)