MA123 — Elem. Calcu Exam 1	lus Fall 2013 2013-09-26	Name:	Sec.:			
No books or notes may be i	used. You may use a g ystem (CAS) or a QW	raphing calculator di	ou have two hours to do this exam uring the exam, but NO calculator ermitted. Absolutely no cell phone			
		*	s on this page. For each multiple rrect answer. For example, if (a) is			
	is page, but please circ ty to make it CLEAR	le the letter of each of which response has b	correct response in the body of the een chosen. You will not get credit to body of the exam.			
	GOO	D LUCK!				
1. (a)	(b) (c) (d) (e)	11. (a) (b)	(c) (d) (e)			
2. (a)	(b) (c) (d) (e)	12. (a) (b)	(c) (d) (e)			
3. (a)	(b) (c) (d) (e)	13. (a) (b)	(c) (d) (e)			
4. (a)	(b) (c) (d) (e)	14. (a) (b)	(c) (d) (e)			
5. (a)	(b) (c) (d) (e)	15. (a) (b)	(c) (d) (e)			
6. (a)	(b) (c) (d) (e)	16. (a) (b)	(c) (d) (e)			
7. (a)	(b) (c) (d) (e)	17. (a) (b)	(c) (d) (e)			
8. (a)	\bigcirc	18. (a) (b)	(c) (d) (e)			
9. (a)	\bigcirc	19. (a) (b)	(c) (d) (e)			
10. (a)	(b) (c) (d) (e)	20. (a) (b)	(c) (d) (e)			
For grading use:						
Number Correct	of 20 models	Total				
(out	of 20 problems)		(out of 100 points)			

MA123- Elem. Calculus	Fall 2013
Exam 1	2013-09-26

Please make sure to list the correct section number on the front page of your exam. In case you forgot your section number, consult the following table. Your section number is determined by your recitation time and location.

Section #	Instructor	Day	Time	Room
001-006	Jack Schmidt	MWF	08:00 am - 08:50 am	KAS 213
001	Jinping Zhuge	T	8:00 am - 9:15 am	FB B9
002	Yiyuan Wu	T	9:30 am - 10:45 am	NURS 501B
003	Devin Willmott	T	8:00 am - 9:15 am	CB 235
004	Tefjol Pllaha	T	8:00 am - 9:15 am	CB 237
005	Tefjol Pllaha	$\mid T \mid$	2:00 pm - 3:15 pm	CB 347
006	Tefjol Pllaha	T	3:30 pm - 4:45 pm	CB 347
007-012	Jack Schmidt	MWF	09:00 am - 09:50 am	KAS 213
007	Yiyuan Wu	R	8:00 am - 9:15 am	CB 217
008	Jinping Zhuge	R	9:30 am - 10:45 am	DH 323
009	Yiyuan Wu	R	11:00 am - 12:15 pm	EH 202
010	Jinping Zhuge	R	12:30 pm - 1:45 pm	DH 323
011	Dharma Maharjan	R	2:00 pm - 3:15 pm	CB 347
012	Dharma Maharjan	R	3:30 pm - 4:45 pm	CB 347
013-018	Paul Koester	MWF	1:00 pm - 1:50 pm	BS 116
013	Carolyn Troha	T	8:00 am - 9:15 am	CB 345
014	Carolyn Troha	$\mid T \mid$	9:30 am - 10:45 am	NURS 214
015	Morgan Schreffler	T	11:00 am - 12:15 pm	EH 202
016	Carolyn Troha	$\mid T \mid$	12:30 pm - 1:45 pm	MMRB 243
017	Morgan Schreffler	T	2:00 pm - 3:15 pm	BH 301
018	Morgan Schreffler	$\mid T \mid$	3:30 pm - 4:45 pm	CB 235
025-030	Paul Koester	MWF	2:00 pm - 2:50 pm	BS 107
025	Sarah Orchard	$\mid T \mid$	12:30 pm - 1:45 pm	TPC 212
026	Marie Meyer	R	8:00 am - 9:15 am	CB 240
027	Marie Meyer	$\mid T \mid$	2:00 pm - 3:15 pm	DH 331
028	Marie Meyer	R	2:00 pm - 3:15 pm	EH 304
029	Sarah Orchard	$\mid T \mid$	3:30 pm - 4:45 pm	OT OB7
030	Sarah Orchard	R	3:30 pm - 4:45 pm	OT 0B7
401	Brad Schwer	MTR	5:30 pm - 6:45 pm	CB 337

You may use the following formula for the derivative of a quadratic function.

If
$$p(x) = Ax^2 + Bx + C$$
, then $p'(x) = 2Ax + B$.

Multiple Choice Questions

Show all your work on the page where the question appears. Clearly mark your answer both on the cover page on this exam and in the corresponding questions that follow.

1. Find an equation for the line with slope (3/4) passing through the point (x,y)=(8,5).

Possibilities:

(a)
$$y = (3/4)x - 6$$

(b)
$$y = (3/4)x - 1$$

(c)
$$y = (5/8)x + (3/4)$$

(d)
$$y = 8x + 5$$

(e)
$$y = (3/4)x + 5$$

2. Solve the equation $x^3 + 3xy + 6y = 9$ for y in terms of x

Possibilities:

(a)
$$y = \frac{9 - x^3}{3x + 6}$$

(b)
$$y = \frac{3x+6}{9-x^3}$$

(c)
$$y = \frac{3x+6}{x^3-9}$$

(d)
$$y = \frac{x^3 - 9}{3x + 6}$$

(e)
$$y = 9 - x^3 - 3x - 6$$

3. Given $f(x) = \sqrt{4x-6}$, write an expression for $(f(5+h)-f(5))\cdot(f(5+h)+f(5))$

(a)
$$6h$$

(c)
$$28 + 4h$$

(d)
$$(\sqrt{14+h} - \sqrt{14})^2$$

(e)
$$\sqrt{14+4h} - \sqrt{14}$$

4. Evaluate f(7) when f(x) is given by the piecewise definition

$$f(x) = \begin{cases} 7x^2 + 2x + 2 & \text{if } x \le -6\\ 8 + 6x & \text{if } -6 < x \le 7\\ x^2 + 4x + 8 & \text{if } 7 < x \end{cases}$$

Possibilities:

- (a) 50
- (b) 85
- (c) 242
- (d) 359
- (e) 494
- 5. A train travels from city A to city B, then travels from city B to city C. The train leaves city A at time 11:00am and arrives at city B at 12:30pm. The train leaves city B at 2:00pm and arrives at city C at 5:00pm. The average velocity of the train, while travelling from A to B, was 22 miles per hour. The average velocity of the train, while travelling from B to C, was 43 miles per hour. What was the average velocity of the train from city A to city C, including the wait at city B?

Possibilities:

- (a) (65/2) miles per hour
- (b) 28 miles per hour
- (c) 65 miles per hour
- (d) 27 miles per hour
- (e) (21/2) miles per hour
- 6. Find the average rate of change of $f(x) = \sqrt{x+3}$ from x=6 to x=33.

- (a) 3
- (b) -7/22
- (c) 1/9
- (d) -1/9
- (e) -1/11

7. Find the average rate of change of $f(x) = 12x^2 + 1$ from x = 4 to x = 4 + h.

Possibilities:

- (a) $12h^2 + 96h$
- (b) -12h 96
- (c) $-12h^2 96h$
- (d) 12h + 96
- (e) h

8. Let $f(x) = -9x^2 + 3x + 8$. Find the instantaneous rate of change of f(x) at x = -6.

Possibilities:

- (a) $-9h^2 + 111h$
- (b) -9h + 111
- (c) 0
- (d) 111
- (e) The instantaneous rate of change cannot be computed with the given information.

9. Find an expression for the instantaneous rate of change of $f(x) = 3x^2 + 2x + 6$ at x = a.

Possibilities:

- (a) 6a + 2
- (b) 12a + 4
- (c) 2
- (d) 6a
- (e) 12a + 2

10. Let $f(x) = 5x^2 + 2x + 5$. Find a value c between x = 1 and x = 5, so that the average rate of change of f(x) from x = 1 to x = 5 is equal to the instantaneous rate of change of f(x) at x = c.

- (a) 1
- (b) 2
- (c) 3
- (d) 4
- (e) 5

11. Determine the limit

$$\lim_{t \to 2} (t^3 + t^2 - 2t + 3)$$

Possibilities:

- (a) 11
- (b) 12
- (c) 13
- (d) 14
- (e) 15
- 12. The graph of y = f(x) is shown below. Compute $\lim_{x \to -2^-} f(x)$.

- Possibilities:
 - (a) 3
 - (b) 0
 - (c) -1
 - (d) -2
 - (e) -3
- 13. Find the limit

$$\lim_{t\to 0^+}\frac{50\sqrt{t}}{t}$$

- (a) $\frac{25}{\sqrt{t}}$
- (b) 50
- (c) 25
- (d) This limit either tends to infinity or this limit fails to exist
- (e) 0

14. Find the limit

$$\lim_{x \to 0} \left(\frac{15}{x} + \frac{7x - 15}{x} \right)$$

Possibilities:

- (a) 1
- (b) 7
- (c) 0
- (d) 15
- (e) This limit does not exist.
- 15. Find the limit

$$\lim_{x \to 1} \frac{x^2 - 3x + 2}{x^2 - 4x + 3}$$

Possibilities:

- (a) 1/2
- (b) 1
- (c) 3/2
- (d) 2
- (e) This limit does not exist
- 16. Compute

$$\lim_{n \to \infty} \frac{7n^2 + 5n - 7}{8n^2 - 5n - 9}$$

If the limit tends to $\pm \infty$, select "Limit does not exist".

- (a) 7/8
- (b) 0
- (c) 7
- (d) -1
- (e) Limit does not exist

17. Suppose $f(x) = Ax^3$ for x < 2 and f(x) = 18 - Ax for $x \ge 2$. Find a value of A such that the function f(x) is continuous at the point x = 2.

Possibilities:

- (a) 7/5
- (b) 8/5
- (c) 9/5
- (d) 2
- (e) There is no such value of A.
- 18. For the function $f(x) = 8x^2 + 8x + 8$, find the equation of the tangent line to graph of f at x = -1.

Possibilities:

- (a) y = 8
- (b) y = 8x
- (c) y = -8x + 8
- (d) $y = x^3 + 17$
- (e) y = -8x
- 19. The tangent line to graph of f at x = -1 has equation y = -10x. Find f(-1) and f'(-1).

Possibilities:

- (a) f(-1) = 0, f'(-1) = 0
- (b) f(-1) = -10, f'(-1) = 0
- (c) f(-1) = 10, f'(-1) = -10
- (d) f(-1) = -10, f'(-1) = 10
- (e) f(-1) = 0, f'(-1) = -10
- 20. Find all values of x where the derivative of the function f(x) = |6x + 9| is not defined.

- (a) 6
- (b) 0
- (c) -3/2
- (d) 9
- (e) -2/3

MA123 Exam 1	— Elem.	Calculus	Fall 2013 2013-09-26	Name:	Sec.:
No books with a Cor	or notes m nputer Alg	nay be used.	You may use a	graphing calculator du	ou have two hours to do this examuring the exam, but NO calculator ermitted. Absolutely no cell phone
	stion, you	will need to	-	- The state of the	s on this page. For each multiple rrect answer. For example, if (a) is
exam. It is	s your resp	onsibility to	make it CLEAF		correct response in the body of the een chosen. You will not get credit e body of the exam.
			GO	OD LUCK!	
	1.	. (a) (b)	(c) (d) (e)	11. (a) (b)	\bigcirc
	2.	. (a) (b)	(c) (d) (e)	12. (a) (b)	(c) (d) (e)
	3.	. (a) (b)	(c) (d) (e)	13. (a) (b)	(c) (d) (e)
	4.	. (a) (b)	(c) (d) (e)	14. (a) (b)	(c) (d) (e)
	5.	. (a) (b)	(c) (d) (e)	15. (a) (b)	(c) (d) (e)
	6.	. (a) (b)	c d e	16. (a) (b)	(c) (d) (e)
	7.	. (a) (b)	(c) (d) (e)	17. (a) (b)	(c) (d) (e)
	8.	. (a) (b)	(c) (d) (e)	18. (a) (b)	(c) (d) (e)
	9.	. (a) (b)	(c) (d) (e)	19. (a) (b)	(c) (d) (e)
	10	0. (a) (b)	(c) (d) (e)	20. (a) (b)	(c) (d) (e)
			For s	grading use:	
	Number Correct			Total	

(out of 100 points)

(out of 20 problems)