MA162: Finite mathematics

Jack Schmidt

University of Kentucky

April 2, 2012

Schedule:

- HW 6.2,6.3 are due Fri, April 6th, 2012
- Exam 3 is Monday, Apr 9th, 5:00pm-7:00pm in CB106 and CB118.

Today we will cover 6.3: Multiplication principle

Exam 3 breakdown

- Chapter 5, Interest and the Time Value of Money
  - Simple interest
  - Compound interest
  - Sinking funds
  - Amortized loans

- Chapter 6, Counting
  - Inclusion exclusion
  - Inclusion exclusion
  - **Multiplication principle**
  - Permutations and combinations

6.3: What is multiplication?

- How many squares in this figure?



6.3: What is multiplication?

- How many squares in this figure?



- Each column has 3 squares, there are 7 columns, so $3 \cdot 7 = 21$

6.3: What is multiplication?

- How many squares in this figure?



- Each column has 3 squares, there are 7 columns, so $3 \cdot 7 = 21$
- Counting each square is slower and error-prone.

6.3: Three square meals a day

- You decide to brush your teeth after every meal, but are worried about the toothpaste consumption. You use about 1% of the tube every time you brush. How many weeks will it last?

6.3: Three square meals a day

- You decide to brush your teeth after every meal, but are worried about the toothpaste consumption. You use about 1% of the tube every time you brush. How many weeks will it last?

- How many brushes per week?



6.3: Three square meals a day

- You decide to brush your teeth after every meal, but are worried about the toothpaste consumption. You use about 1% of the tube every time you brush. How many weeks will it last?
- How many brushes per week?



- So 21 brushes per week; takes less than 5 weeks to use up a tube.

6.3: A rainbow of possibilities

- You are working on a dazzling fashion project and have seven dyes: **Red**, **Orange**, **Yellow**, **Green**, **Blue**, **Indigo**, and **Violet**. You've got three types of fabric: Burlap, Cotton, and Denim.

  How many different color/texture combinations do you have?

6.3: A rainbow of possibilities

- You are working on a dazzling fashion project and have seven dyes: **Red**, **Orange**, **Yellow**, **Green**, **Blue**, **Indigo**, and **Violet**. You've got three types of fabric: Burlap, Cotton, and Denim.

  How many different color/texture combinations do you have?

- Again $(3)(7) = 21$

6.3: Counting with no overlaps

- Suppose you want to go watch a movie; you could go see one of the 12 movies at the huge theater or one of the 2 movies at the Kentucky. How many possibilities are there?

6.3: Counting with no overlaps

- Suppose you want to go watch a movie; you could go see one of the 12 movies at the huge theater or one of the 2 movies at the Kentucky. How many possibilities are there?

  12+2=14

- Suppose you want to do a critical comparison of hollywood fluff with low budget art film, so you plan on going to one movie at each theater. How many possibilities are there?

6.3: Counting with no overlaps

- Suppose you want to go watch a movie; you could go see one of the 12 movies at the huge theater or one of the 2 movies at the Kentucky. How many possibilities are there?

  $\mathbf{12+2=14}$

- Suppose you want to do a critical comparison of hollywood fluff with low budget art film, so you plan on going to one movie at each theater. How many possibilities are there?

  $\mathbf{(12)(2)=24}$

- Suppose you are doing a study on primacy and its effect on critical comparisons, so you need to convince a bunch of your film critic friends to go see a movie at each theater, but you care which theater they go to first. How many possibilities are there?

6.3: Counting with no overlaps

- Suppose you want to go watch a movie; you could go see one of the 12 movies at the huge theater or one of the 2 movies at the Kentucky. How many possibilities are there?

  $\mathbf{12+2=14}$

- Suppose you want to do a critical comparison of hollywood fluff with low budget art film, so you plan on going to one movie at each theater. How many possibilities are there?

  $\mathbf{(12)(2)=24}$

- Suppose you are doing a study on primacy and its effect on critical comparisons, so you need to convince a bunch of your film critic friends to go see a movie at each theater, but you care which theater they go to first. How many possibilities are there?

  $\mathbf{(12)(2)(2)=48}$

6.3: Flipping out

- If you roll a **red die** and a **blue die**, how many possible outcomes are there?

6.3: Flipping out

- If you roll a **red die** and a **blue die**, how many possible outcomes are there?
- A picture is easier:

	1	2	3	4	5	6
1	11	12	13	14	15	16
2	21	22	23	24	25	26
3	31	32	33	34	35	36
4	41	42	43	44	45	46
5	51	52	53	54	55	56
6	61	62	63	64	65	66

36 ways

6.3: Flipping out

- If you roll a **red die** and a **blue die**, how many possible outcomes are there?
- A picture is easier:

	1	2	3	4	5	6
1	11	12	13	14	15	16
2	21	22	23	24	25	26
3	31	32	33	34	35	36
4	41	42	43	44	45	46
5	51	52	53	54	55	56
6	61	62	63	64	65	66

36 ways

- Get a **penny**, a **nickel**, and a **dime**. Flip all three.

  How many possibilities?

6.3: Flipping out

- If you roll a **red die** and a **blue die**, how many possible outcomes are there?
- A picture is easier:

	1	2	3	4	5	6
1	11	12	13	14	15	16
2	21	22	23	24	25	26
3	31	32	33	34	35	36
4	41	42	43	44	45	46
5	51	52	53	54	55	56
6	61	62	63	64	65	66

36 ways

- Get a **penny**, a **nickel**, and a **dime**. Flip all three.

  How many possibilities?

- **HHH**, **HHT**, **HTH**, **HTT**, **THH**, **THT**, **TTH**, **TTT**
  (2)(2)(2)=8

6.3: Drawing the possibilities

- There are two main ways to get to Winchester from Lexington: Winchester Rd (US-60) and I-64.
  From Winchester, there are three main ways to Clay City: KY-89, KY-15, and the Mountain Parkway (KY-402).
  How many different ways are there from Lexington to Clay City using these routes?



6.3: Trees for counting

- We can unfold the map to make the possibilities clearer:



6.3: Trees for counting

- We can unfold the map to make the possibilities clearer:



- This is a decision tree. Note how the decision to be made after I-64 is the same as the decision to be made after US-60. The first choice does not affect the second choice. The choices are **independent**.

6.3: License to count

- A standard Kentucky license plate has three digits followed by three letters. Assuming all choices of digits and letters were allowed, how many license plates are possible?

6.3: License to count

- A standard Kentucky license plate has three digits followed by three letters. Assuming all choices of digits and letters were allowed, how many license plates are possible?

- $(10) \cdot (10) \cdot (10) \cdot (26) \cdot (26) \cdot (26) = 17,576,000$

6.3: License to count

- A standard Kentucky license plate has three digits followed by three letters. Assuming all choices of digits and letters were allowed, how many license plates are possible?

- $(10) \cdot (10) \cdot (10) \cdot (26) \cdot (26) \cdot (26) = 17,576,000$

- How many cars are in Kentucky?

6.3: License to count

- A standard Kentucky license plate has three digits followed by three letters. Assuming all choices of digits and letters were allowed, how many license plates are possible?

- $(10) \cdot (10) \cdot (10) \cdot (26) \cdot (26) \cdot (26) = 17,576,000$

- How many cars are in Kentucky?

- 4 million people, about 4 million vehicles, 2 million of which probably have standard plates

6.3: Calorie counting

- If a restaurant offers 5 appetizers, 10 entres, and 6 desserts, how many full course meals are possible?

6.3: Calorie counting

- If a restaurant offers 5 appetizers, 10 entres, and 6 desserts, how many full course meals are possible?
- If that restaurant wanted the greatest increase in the number of possibilities, should it add 1 appetizer, 1 entre, or 1 dessert?

6.3: Calorie counting

- If a restaurant offers 5 appetizers, 10 entres, and 6 desserts, how many full course meals are possible?
- If that restaurant wanted the greatest increase in the number of possibilities, should it add 1 appetizer, 1 entre, or 1 dessert?
- $(6)(10)(6) = 360$ vs. $(5)(11)(6) = 330$ vs. $(5)(10)(7) = 350$

6.3: Calorie counting

- If a restaurant offers 5 appetizers, 10 entres, and 6 desserts, how many full course meals are possible?
- If that restaurant wanted the greatest increase in the number of possibilities, should it add 1 appetizer, 1 entre, or 1 dessert?
- $(6)(10)(6) = 360$ vs. $(5)(11)(6) = 330$ vs. $(5)(10)(7) = 350$
- If two people go to the restaurant and refuse to order the same appetizer, entre, or dessert, how many possible orders can the two people make?

6.3: Calorie counting

- If a restaurant offers 5 appetizers, 10 entres, and 6 desserts, how many full course meals are possible?
- If that restaurant wanted the greatest increase in the number of possibilities, should it add 1 appetizer, 1 entre, or 1 dessert?
- $(6)(10)(6) = 360$ vs. $(5)(11)(6) = 330$ vs. $(5)(10)(7) = 350$
- If two people go to the restaurant and refuse to order the same appetizer, entre, or dessert, how many possible orders can the two people make?
- $(5)(10)(6)$ for the first, but one appetizer, one entre, and one dessert is now forbidden

6.3: Calorie counting

- If a restaurant offers 5 appetizers, 10 entres, and 6 desserts, how many full course meals are possible?
- If that restaurant wanted the greatest increase in the number of possibilities, should it add 1 appetizer, 1 entre, or 1 dessert?
- $(6)(10)(6) = 360$ vs. $(5)(11)(6) = 330$ vs. $(5)(10)(7) = 350$
- If two people go to the restaurant and refuse to order the same appetizer, entre, or dessert, how many possible orders can the two people make?
- $(5)(10)(6)$ for the first, but one appetizer, one entre, and one dessert is now forbidden
- $(5)(10)(6) \cdot (4)(9)(5) = 54000$.

6.3: Rearranging letters

- How many ways to arrange the letters **RGB** using three at a time?

6.3: Rearranging letters

- How many ways to arrange the letters **RGB** using three at a time?
- **RGB**, **RBG**, **GRB**, **GBR**, **BRG**, **BGR**

6.3: Rearranging letters

- How many ways to arrange the letters **RGB** using three at a time?
- **RGB**, **RBG**, **GRB**, **GBR**, **BRG**, **BGR**
- Three possibilities for first (**R**, **G**, or **B**),
  and for each first letter, two choices for second (the other two),
  and only one choice for third letter (the only remaining one)

6.3: Rearranging letters

- How many ways to arrange the letters **RGB** using three at a time?
- **RGB**, **RBG**, **GRB**, **GBR**, **BRG**, **BGR**
- Three possibilities for first (**R**, **G**, or **B**),
  and for each first letter, two choices for second (the other two),
  and only one choice for third letter (the only remaining one)
- How many ways to arrange HORSEY using two at a time?

6.3: Rearranging letters

- How many ways to arrange the letters **RGB** using three at a time?
- **RGB**, **RBG**, **GRB**, **GBR**, **BRG**, **BGR**
- Three possibilities for first (**R**, **G**, or **B**),
  and for each first letter, two choices for second (the other two),
  and only one choice for third letter (the only remaining one)
- How many ways to arrange HORSEY using two at a time?
- HO, HR, HS, HE, HY,
  OH, OR, OS, OE, OY,
  RH, RO, RS, RE, RY,
  SH, SO, SR, SE, SY,
  EH, EO, ER, ES, EY,
  YH, YO, YR, YS, YE

6.3: Rearranging letters

- How many ways to arrange the letters **RGB** using three at a time?
- **RGB**, **RBG**, **GRB**, **GBR**, **BRG**, **BGR**
- Three possibilities for first (**R**, **G**, or **B**),
  and for each first letter, two choices for second (the other two),
  and only one choice for third letter (the only remaining one)
- How many ways to arrange HORSEY using two at a time?
- HO, HR, HS, HE, HY,
  OH, OR, OS, OE, OY,
  RH, RO, RS, RE, RY,
  SH, SO, SR, SE, SY,
  EH, EO, ER, ES, EY,
  YH, YO, YR, YS, YE
- Six possibilities for first (H,O,R,S,E,Y)
  and five for second (the remaining five)